GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – M.A. & U.D. Department - Allegations of irregularities in Sewerage Master Plan Project works in Zone-I & II, Old City, South of Musi River under JNNURM - Disciplinary Proceedings instituted against Sri C. Vijay Kumar, the then General Manager (E), Project Division-V, Hyderabad Metro Water Supply & Sewerage Board (HMWSSB), Hyderabad and presently working as Superintending Engineer, Kakinada Municipal Corporation, East Godavari District - Appointment of Sri.T.Anjaneyulu, Chief Engineer, APCRDA as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 254 **Dated: 18-03-2019**

Read the following:-

1. G.O.Rt.No.240, dated 23.06.2015 of M.A. & U.D.(Vig.II) Dept., Govt. of Telangana.
2. From Sri C. Vijay Kumar, the then General Manager (E), Project Division-V, HMWSSB, Hyderabad and presently working as Superintending Engineer, Kakinada Municipal Corporation, East Godavari District, written statement of defence, dated 10.01.2019.

* * *

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri C. Vijay Kumar the then General Manager (E), Project Division-V, Hyderabad Metro Water Supply & Sewerage Board (HMWSSB), Hyderabad and presently working as Superintending Engineer, Kakinada Municipal Corporation, East Godavari District on the allegations of irregularities in Sewerage Master Plan Project works in Zone-I & II, Old City, South of Musi River under JNNURM.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. Now therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CCA) Rules 1991, the disciplinary authority hereby appoints Sri.T.Anjaneyulu, Chief Engineer, APCRDA as an Enquiry Officer to inquire into the charges framed against the above said official.

4. The Enquiry Officer shall submit his report within three months.

5. A copy of Articles of charges, written statement of defence of the charged officer is enclosed herewith. The Engineer-in-Chief, Public Health, A.P., Guntur shall provide the any other required connected records / material, as requested by the Enquiry Officer.

6. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri.T.Anjaneyulu, Chief Engineer & Enquiry Officer, APCRDA **through** the Engineer-in-Chief, Public Health, A.P., Guntur (w.e.).
Sri.B.H.Srinivasa Rao, Superintending Engineer & Presenting Officer, PH Circle, Visakhapatnam **through** the Engineer-in-Chief, Public Health, A.P., Guntur (w.e.).
Sri C. Vijay Kumar, Superintending Engineer, Kakinada Municipal Corporation, East Godavari District **through** the Engineer-in-Chief, Public Health, A.P., Guntur.

(P.T.O.)

Copy to:

The M.A. & U.D. (Vig.II) Dept, Govt. of Telangana, 'D' Block,
Telangana Secretariat, Hyderabad.
The Director General, GA(V&E) Dept., Govt. of Telangana.
(with reference to Vigilance Report No.33 (681/V&E/E1/2010),
dated 30.10.2014).
The Commissioner, Kakinada Municipal Corporation, EG District.
The Secretary to A.P. Vigilance Commission, 5th Building, A.P. Secretariat.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER